L Number	Hits	Search Text	DB	Time stamp
1	22323	(form field) with (frequen\$4 recen\$4) with	USPAT;	2003/12/04 16:25
		(used usage)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	1777263	weight\$3	USPAT;	2003/12/04 16:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	761	mfu mru	USPAT;	2003/12/04 16:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	/ /
4	13	((form field) with (frequen\$4 recen\$4) with	USPAT;	2003/12/04 16:13
		(used usage)) and weight\$3 and (mfu mru)	EPO; JPO;	
			DERWENT;	
_		(15, 15, 23)	IBM_TDB	2002/12/04 16:12
5	6951	((form field) with (frequen\$4 recen\$4) with	USPAT;	2003/12/04 16:13
		(used usage)) and weight\$3	EPO; JPO;	
			DERWENT;	
_		(IBM_TDB	2002/12/04 16:40
6	2260	(predict\$3 probab\$6 guess\$3 determin\$3	USPAT;	2003/12/04 16:40
		select\$3) with most with (frequen\$4 recen\$4)	EPO; JPO;	
		with (used usage)	DERWENT;	
_	F.4	(//form field) with (framient) recent() with	USPAT;	2003/12/04 16:16
7	54	(((form field) with (frequen\$4 recen\$4) with		2003/12/04 16:16
		(used usage)) and weight\$3) and ((predict\$3	EPO; JPO; DERWENT;	
		probab\$6 guess\$3 determin\$3 select\$3) with	IBM TDB	
		most with (frequen\$4 recen\$4) with (used usage))	184-108	
8	41	((((form field) with (frequen\$4 recen\$4)	USPAT;	2003/12/04 16:16
°	41	with (used usage)) and weight\$3) and	EPO; JPO;	2003/12/04 10:10
		((predict\$3 probab\$6 guess\$3 determin\$3	DERWENT;	
		select\$3) with most with (frequen\$4 recen\$4)	IBM TDB	
		with (used usage))) not (((form field) with	1511_155	
		(frequen\$4 recen\$4) with (used usage)) and		
		weight\$3 and (mfu mru))		Α.
9	2327		USPAT;	2003/12/04 16:37
	2327	selected usage)	EPO; JPO;	1
		January Control of the Control of th	DERWENT;	
			IBM TDB	
10	730	weight\$3 and (frequen\$4 with recen\$4 with	USPAT;	2003/12/04 16:26
		(used entered selected usage))	EPO; JPO;	
	1.0		DERWENT;	
			IBM_TDB	
11	16	((predict\$3 probab\$6 guess\$3 determin\$3	USPAT;	2003/12/04 16:28
	li II	select\$3) with most with (frequen\$4 recen\$4)	EPO; JPO;	
		with (used usage)) and (weight\$3 and	DERWENT;	
1		(frequen\$4 with recen\$4 with (used entered	IBM_TDB	
		selected usage)))		IA A.
12	77	(frequen\$4 with recen\$4 with (used entered	USPAT;	2003/12/04 16:38
		selected usage)) with auto\$9	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	77	((frequen\$4 with recen\$4 with (used entered	USPAT;	2003/12/04 16:30
9		selected usage)) with auto\$9) not ((((form	EPO; JPO;	
		field) with (frequen\$4 recen\$4) with (used	DERWENT;	
		usage)) and weight\$3) and ((predict\$3	IBM_TDB	
		probab\$6 guess\$3 determin\$3 select\$3) with		
		most with (frequen\$4 recen\$4) with (used		
		usage))) not (((form field) with (frequen\$4		
		recen\$4) with (used usage)) and weight\$3 and		
		(mfu mru)))		
13	34		USPAT;	2003/12/04 16:32
		(used entered selected usage)) with auto\$9)	EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	<u> </u>

15	43	<pre>(((frequen\$4 with recen\$4 with (used entered selected usage)) with auto\$9) not (((((form field) with (frequen\$4 recen\$4) with (used usage)) and weight\$3) and ((predict\$3 probab\$6 guess\$3 determin\$3 select\$3) with most with (frequen\$4 recen\$4) with (used usage))) not (((form field) with (frequen\$4 recen\$4) with (used usage)) and weight\$3 and (mfu mru)))) not (weight\$3 and ((frequen\$4 with recen\$4 with (used entered)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:33
16	1774587	selected usage)) with auto\$9)) most (frequen\$4 recen\$4) with (used entered selected usage)	USPAT; EPO; JPO; DERWENT;	2003/12/04 16:38
17	23033	most with (frequen\$4 recen\$4) with (used entered selected usage)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/04 16:38
18	597	(most with (frequen\$4 recen\$4) with (used entered selected usage)) with (default auto\$9)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/04 16:39
19	160	<pre>weight\$3 and ((most with (frequen\$4 recen\$4) with (used entered selected usage)) with (default auto\$9))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/04 16:39
20	154	<pre>(weight\$3 and ((most with (frequen\$4 recen\$4) with (used entered selected usage)) with (default auto\$9))) not (((frequen\$4 with recen\$4 with (used entered selected usage)) with auto\$9) not ((((form field) with (frequen\$4 recen\$4) with (used usage)) and weight\$3) and ((predict\$3 probab\$6 guess\$3 determin\$3 select\$3) with most with (frequen\$4 recen\$4) with (used usage))) not (((form field) with (frequen\$4 recen\$4) with (used usage)) and weight\$3 and (mfu mru))))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:40
21	0		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:40
22	53	((weight\$3 and ((most with (frequen\$4 recen\$4) with (used entered selected usage)) with (default auto\$9))) not (((frequen\$4 with recen\$4 with (used entered selected usage)) with auto\$9) not ((((form field) with (frequen\$4 recen\$4) with (used usage)) and weight\$3) and ((predict\$3 probab\$6 guess\$3 determin\$3 select\$3) with most with (frequen\$4 recen\$4) with (used usage)) not (((form field) with (frequen\$4 recen\$4) with (used usage))) not ((used usage)) and weight\$3 and (mfu mru)))) and (predict\$3 probab\$6 guess\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:41

23	53	(((weight\$3 and ((most with (frequen\$4	USPAT;	2003/12/04	16:41
		recen\$4) with (used entered selected usage))	EPO; JPO;		
		with (default auto\$9))) not (((frequen\$4	DERWENT;		į
		with recen\$4 with (used entered selected	IBM_TDB		
		usage)) with auto\$9) not ((((form field)	_		1
		with (frequen\$4 recen\$4) with (used usage))			
		and weight\$3) and ((predict\$3 probab\$6			
		guess\$3 determin\$3 select\$3) with most with			
		(frequen\$4 recen\$4) with (used usage))) not			1
		(((form field) with (frequen\$4 recen\$4) with			1
		(used usage)) and weight\$3 and (mfu mru)))))			1
	1	and (predict\$3 probab\$6 guess\$3)) not			.
	}	(((frequen\$4 with recen\$4 with (used			l
		entered selected usage)) with auto\$9) not			1
		(((((form field) with (frequen\$4 recen\$4)			
		with (used usage)) and weight\$3) and			
		((predict\$3 probab\$6 guess\$3 determin\$3			
		select\$3) with most with (frequen\$4 recen\$4)			
		with (used usage))) not (((form field) with			
		(frequen\$4 recen\$4) with (used usage)) and			ļ
		weight\$3 and (mfu mru))))			